

Self Service Personalizations - Tips and Techniques

Patti Kost
AST Corporation

Agenda

- Overview
- Before You Personalize
- Sample Personalizations
- Delete Personalizations
- Other Important Information
- Questions and Discussion

Personalization Overview

- Change the look-and-feel of the self service user interface:
 - Hide or display fields / regions
 - Change field labels
 - Require fields
 - Add links, images, tips, default values
 - Corporate branding
 - Reorder fields

Personalization Overview

- Personalizations are NOT customizations
- Personalizations are self service user interface configurations
- Personalizations are fully portable during upgrades
- Personalizations can be created by functional team members

Personalization vs. Extension

- Extensibility goes beyond what is available with personalizations by allowing the user to customize the self service user interface :
 - Add new content
 - Add new business logic
 - Extend or override existing logic

Benefits of Personalizations

- Meet business requirements by configuring user interface for many self service applications
- Requires minimal technical knowledge to personalize many items / forms
- Upgradeable
- Portable
- Translatable

Personalization Levels

- Personalizations can be applied at various levels:
 - Function
 - Localization
 - Site
 - Organization
 - Responsibility
- Cumulative from lowest to highest

Item / Region Attributes

- Rendered
- Prompt
- Read Only
- Required
- Destination URI
- Initial Value
- Maximum Length
- Tip Message Name
- Tip Type

Before You Personalize

- Plan, Plan, Plan
 - Use out-of-the-box screenshots and a red pen
 - Use the Function details in the setup guides
 - Use About this Page functionality
- Document, Document, Document
 - Use checklists
 - Use screenshots
 - Capture document name
 - Capture personalization context

Functions - Overview

- Documented in the implementation and / or user guides
- For each document (self service page):
 - Document Name and Description
 - Menu and Function Names
 - Configurable Tips and Instructions
 - Flexfields
 - Seeded Function Level Personalizations

Functions - Document Name & Description

Applicant Account Details Page

Document Name:

`/oracle/apps/irc/candidateSelfService/webui/AplAccountDetailsPG`

Description: Page to enable applicants to enter their account details.

Functions - Menu and Function Names

Menu and Function Names:

This module can be accessed from the following menus and functions presented in the table:

Menu and Function Names

User Menu Name

Function Name

Not directly accessible from a menu

IRC_APL_ACCOUNT_DETAILS_PAGE

Functions - Configurable Tips & Instructions

Configurable Tips and Instructions:

The following table presents a list of configurable tips and instructions:

Region Name	Tip Type	Message Name
Page Level	Tip	IRC_GEN_DOC_LOAD_BUTTON_TIP
Skills	Instruction	IRC_APL_ENTER_SKILLS_ASSESS
Education Qualifications	Instruction	IRC_APL_ENTR_ESTABLISHMENTS

Functions - Flexfields

Flexfields:

The following table presents a list of flexfields:

Flexfields

Region Name	Item Name	Flexfield Name	Flexfield Code
Page Level	PersDetsFlexField	Additional Personal Details	PER_PEOPLE
Page Level	PersonDeveloper Flex	Further Person Information	Person Developer DF

Functions – Seeded Function Level Personalizations

Seeded Function Level Personalizations:

The following table presents a list of seeded function level personalizations:

Seeded Function Level Personalizations

Document Name	Level Value
/oracle/apps/irc/candidateSelfService/webui/AplNavBarRN	IRC_CM_CAND_DETAILS
/oracle/apps/irc/candidateSelfService/webui/AplPersDetsRN	IRC_APL_APPLY_ACCOUNT

About this Page - Link



About this Page - Page Tab

ORACLE® iRecruitment Home Logout Preferences Personalize Page Diagnostics

Home >

About Page: Create Vacancy: Enter Primary Details

Printable Page Generate Bug Report

Page Personalization Page Context Technology Components Java System Properties Profiles Patches

/oracle/apps/irc/vacancy/webui/VacNewDetsPG 120.3

Page Definition

[Expand All](#) | [Collapse All](#)

Focus Name	Controller	Application Module	View Object	View Attribute
pageLayout: Create Primary Details	VacNewDetsPageCO	VacancyAM		

Business Component References Details

Flexfield References

[Show All Details](#) | [Hide All Details](#)

Details	Item	Application	Flexfield Name	Segment List
Show	tableLayout: (FndFlexField)	PER	PER_VACANCIES	Global Data Elements Is this a New Position? Reason for Vacancy
Show	tableLayout: (IrcFlexField1)	PER	IRC_SEARCH_CRITERIA	
Show	tableLayout: (IrcFlexField1)	PER	IRC_SEARCH_CRITERIA	

Translatable Items

About this Page - Personalization Tab

ORACLE® iRecruitment

Home Logout Preferences Personalize Page Diagnostics

Home >

About Page: Create Vacancy: Enter Primary Details

Printable Page Generate Bug Report

Page **Personalization** Page Context Technology Components Java System Properties Profiles Patches

Effective Personalizations

Create Vacancy: Enter Primary Details

/oracle/apps/irc/vacancy/webui/VacNewDetsPG

Level	Value	Customized Elements	Last Updated	Default View
responsibility	27257 - IRC_RECRUITER - iRecruitment Recruiter	PrimaryDetails.VacancyDetailsDDC.FndManager - PrimaryDetails.VacancyDetailsDDC.FndFlexField	2008-08-08	
function	IRC_VAC_DETETS_NEW	ast_test_button - IRC_VACANCY_NEW_DETAILS_PAGE - ast_test_tip - ncoaug_text_create_vac - ncoaug_link_create_vac - CommonButtons1 - PrimaryDetails.TravelInformation - app_vac_id - hr_manual_id - PrimaryDetails.CompensationInformation	2008-09-19	

About this Page – Profiles Tab

ORACLE iRecruitment

Home Logout Preferences Personalize Page Diagnostics

Home >

About Page: Create Vacancy: Enter Primary Details

Printable Page Generate Bug Report

Page Personalization Page Context Technology Components Java System Properties **Profiles** Patches

Query Profile

[Expand All](#) | [Collapse All](#)

Focus Name	Code	User Responsibility	Application Site
<input type="checkbox"/> Profiles that affect OA Framework application behavior			
<input checked="" type="checkbox"/> Release-Specific Behavior			
<input checked="" type="checkbox"/> Preferences			
Applications Start page	APPLICATIONS_START_PAGE		
ICX: Language	ICX_LANGUAGE		AMERICAN
ICX: Territory	ICX_TERRITORY		AMERICA
ICX: Date format mask	ICX_DATE_FORMAT_MASK		DD-MON-RRRR
ICX: Numeric characters	ICX_NUMERIC_CHARACTERS		,
Self Service Accessibility Features	ICX_ACCESSIBILITY_FEATURES		N

About this Page - Patches Tab

ORACLE iRecruitment

Home Logout Preferences Personalize Page Diagnostics

Home >

About Page: Create Vacancy: Enter Primary Details

Printable Page Generate Bug Report

Page Personalization Page Context Technology Components Java System Properties Profiles **Patches**

Applied Patches:VIS

Previous 1-10 Next 10

Patch	Application	Abstract	Type	Completion Date
6390830			ONE-OFF	24-Jan-2009
6728000			MAINTENANCE-PACK	24-Jan-2009
7305220			PATCH-SET	23-Jan-2009
6767273			ONE-OFF	23-Jan-2009
6655244			ONE-OFF	25-Apr-2008
6742236			ONE-OFF	30-Jan-2008
6400100			ONE-OFF	30-Jan-2008
6435000			MAINTENANCE-PACK	30-Jan-2008

Enable Personalizations

- Enable personalize links by setting the profile Personalize Self-Service Defn = Yes
(Note: Using Functional Administrator responsibility.)

The screenshot shows the Oracle Applications Administration interface. The top navigation bar includes 'ORACLE Applications Administration' and links for 'Home', 'Logout', 'Preferences', 'Personalize Page', and 'Diagnostics'. Below this is a menu with 'Security', 'Core Services', 'Personalization', and 'File Manager'. The 'Personalization' section is active, showing 'Lookups', 'Messages', 'Profile Categories', 'Profiles', 'Functions', 'Menus', 'Caching Framework', and 'Personalization'. The 'Profiles' page is displayed, featuring a 'Define Profile Values' button and a table with the following data:

Select	Name	Code	Level	Level Value	Profile Value	Update Value
<input type="radio"/>	Personalize Self-Service Defn	FND_CUSTOM_OA_DEFINTION	Site		No	
<input type="radio"/>	Personalize Self-Service Defn	FND_CUSTOM_OA_DEFINTION	User	PKOST	Yes	

Personalize Page Links

The screenshot shows the Oracle iRecruitment user interface. At the top, there is a navigation bar with the Oracle logo and the text 'iRecruitment'. Below this, there are links for 'Home', 'Logout', 'Preferences', 'Personalize Page', and 'Diagnostics'. A secondary navigation bar contains 'Home', 'Vacancies', and 'Candidates'. On the left side, there are links for 'New Vacancy' and 'New Offer'. The main content area is titled 'Welcome Kost, Patti to iRecruitment' and includes a 'Notifications' section with a 'Full List' button and a 'Save For Later' table. The table contains two rows of saved items with columns for 'Created On', 'Description', 'Update', and 'Delete'. On the right side, there is a 'New to iRecruitment?' section with links for 'Personalize "End Column Stack"', 'Personalize "Top Links"', and '1. Create a Vacancy 2. Search for Vacancies'. Below that is a 'News' section with a link for 'Personalize "Middle Links" Oracle Job Requisition Policy'. Red arrows point from the 'Personalize Page' link in the top navigation bar to the 'Personalize Page Links' menu on the right.

Personalization Context

Document Name:

/oracle/apps/irc/vacancy/webui/VacNewDetsPG



The screenshot shows the Oracle iRecruitment interface. At the top, there is a navigation bar with the Oracle logo and 'iRecruitment' text. To the right of the logo are links for 'Home', 'Logout', 'Preferences', 'Personalize Page', and 'Diagnostics'. Below this is a secondary navigation bar with buttons for 'Home', 'Vacancies', and 'Candidates'. The main content area is titled 'Personalize Page: Create Primary Details'. On the right side of this area are two buttons: 'Choose Context' and 'Manage Levels'. Below this is a section titled 'Personalization Context' which contains a table of personalization settings.

Scope	Page: Create Primary Details
Document Name	/oracle/apps/irc/vacancy/webui/VacNewDetsPG
Function	Irc Vacancy Details - Create
Industry	Travel & Transportation - Airlines
Location	United States of America
Site	Include
Organization	Vision Operations
Responsibility	iRecruitment Recruiter

Personalization Structure

Search

Style

Title/Prompt/Text

Include Personalized Items Only

Personalization Structure

Simple View Complete View

TIP In simple view mode, some items or regions may not be visible in the page structure and the reorder or create icon may be disabled for certain no complete view mode if you need full personalization capabilities over all items and regions.

[Expand All](#) | [Collapse All](#)




Focus	Name	Shown	User Personalizable	Personalize	Reorder	Create Item	Update Item	Delete Item	Seeded User Views
	<input type="checkbox"/> Page Layout: Create Primary Details	Yes							
	Button: Questionnaire	Yes							

Personalization Structure

TIP In simple view mode, some items or regions may not be visible in the page structure and the reorder or create icon may be disabled for certain nodes. Please switch to complete view mode if you need full personalization capabilities over all items and regions.

Personalization Structure

Simple View Complete View
 **TIP** In simple view mode, some items or complete view mode if you need full

[Expand All](#) | [Collapse All](#)

		Create Item
Personalize	Reorder	
		

Hide a Field – Before & After

Before

Overview

* Vacancy Name

* Start Date
(example: 28-Jan-2009)

Hiring Manager

Organization

Professional Area

Grade

After

Overview

* Vacancy Name

* Start Date
(example: 28-Jan-2009)


Hiring Manager

Organization


Grade

Hide a Field – How To

- Find field in Personalization Structure and select the Personalize icon

Focus Name	Shown	User Personalizable	Personalize
Message Choice: Professional Area	Yes		

- Set “Rendered” attribute to “false”

	Original Definition	Function: Irc Vacancy Details - Create	Responsibility: iRecruitment Recruiter	Result / Source
 Rendered	true	Inherit <input type="button" value="v"/> 5	false <input type="button" value="v"/> 5	false / Responsibility

- Select Apply (button) and Return to Application (link)

Display a Field – Before & After

Before

Overview

* Vacancy Name	<input type="text"/>
* Start Date	<input type="text" value="12-Feb-2009"/>
	<small>(example: 28-Jan-2009)</small>
Hiring Manager	<input type="text" value="Kost, Patti"/>
Organization	<input type="text" value="Vision Corporation"/>
Grade	<input type="text"/>

After

Overview


* Vacancy Name	<input type="text"/>
* Start Date	<input type="text" value="12-Feb-2009"/>
	<small>(example: 28-Jan-2009)</small>
Hiring Manager	<input type="text" value="Kost, Patti"/>
Organization	<input type="text" value="Vision Corporation"/>
Professional Area	<input type="text" value=""/>
Grade	<input type="text"/>

Display a Field – How To

- Find field in Personalization Structure and select the Personalize icon

Focus Name	Shown	User Personalizable	Personalize
Message Choice: Professional Area			

- Set “Rendered” attribute to “Inherit” or “true”

	Original Definition	Function: Irc Vacancy Details - Create	Responsibility: iRecruitment Recruiter	Result / Source
 Rendered	true	Inherit <input type="button" value="v"/> 5	true <input type="button" value="v"/> 5	true / Original Definition

- Select Apply (button) and Return to Application (link)

Rename a Field – Before & After

Before

After

Overview

* Vacancy Name

* Start Date
(example: 28-Jan-2009)

Hiring Manager

Organization

Professional Area

Grade

General Description

* Vacancy Name

* Start Date
(example: 16-Feb-2009)

Hiring Manager


Organization

Professional Area

Grade

Rename a Field – How To

- Find field in Personalization Structure and select the Personalize icon



- Set “Text” attribute to “General Description”








- Select Apply (button) and Return to Application (link)

Require a Field – Before & After






Before

Overview

* Vacancy Name	<input type="text"/>
* Start Date	<input type="text" value="12-Feb-2009"/>  <small>(example: 28-Jan-2009)</small>
Hiring Manager	<input type="text" value="Kost, Patti"/> 
Organization	<input type="text" value="Vision Corporation"/> 
Professional Area	<input type="text" value=""/> 
Grade	<input type="text"/> 


After

General Description

* Vacancy Name	<input type="text"/>
* Start Date	<input type="text" value="16-Feb-2009"/>  <small>(example: 16-Feb-2009)</small>
* Hiring Manager	<input type="text" value="Kost, Patti"/> 
Organization	<input type="text" value="Vision Corporation"/> 
Professional Area	<input type="text" value=""/> 
Grade	<input type="text"/> 

Require a Field – How To

- Find field in Personalization Structure and select the Personalize icon

Focus Name	Personalize
 Message Lov Input: Hiring Manager	

- Set “Required” attribute to “yes”

Original Definition	Function: Irc Vacancy Detai
Required no	yes  5

- Select Apply (button) and Return to Application (link)

Make a Field View Only – Before & After

Before

Overview

* Vacancy Name	<input type="text"/>
* Start Date	<input type="text" value="12-Feb-2009"/>
	<small>(example: 28-Jan-2009)</small>
Hiring Manager	<input type="text" value="Kost, Patti"/>
Organization	<input type="text" value="Vision Corporation"/>
Professional Area	<input type="text"/>
Grade	<input type="text"/>



After

General Description

* Vacancy Name	<input type="text"/>
* Start Date	<input type="text" value="16-Feb-2009"/>
	<small>(example: 16-Feb-2009)</small>
* Hiring Manager	<input type="text" value="Kost, Patti"/>
Organization	<input type="text" value="Vision Corporation"/>
Professional Area	<input type="text"/>
Grade	<input type="text"/>

Make a Field View Only – How To

- Find field in Personalization Structure and select the Personalize icon

Focus Name		Personalize
	Message Lov Input: Organization	

- Set “Read Only” attribute to “true”

	Original Definition	Function: Irc Vacancy Details - Create
Read Only	false	true 5

- Select Apply (button) and Return to Application (link)

Default a Value – How To

- Click on the personalize icon of the item
- Provide value for “Initial Value”
- Required Item Styles:
 - MessageTextInput (Datatypes - VarChar, Date, Number) - Text, Date, or Number Input fields
 - MessageLOVInput - List of Values
 - MessageCheckBox - Check boxes
 - MessageChoice – Poplist
 - MessageRadioButton - Radio button
 - MessageRadioGroup - Radio group

Default a Value – How To (continued)

- Required Profile Option values:
 - FND: OA:Enable Defaults = Yes
 - Disable Self-Service Personal = No
 - May require a bounce of the Apache
- Limitations:
 - Not possible on all pages / fields. For example, can only default on the first page of Create Vacancy

Create Links – Before & After

Before

Create Vacancy: Enter Primary Details

Some data has already been entered for your vacancy according to specified business group, and organization.

* Indicates required field

Questionnaire

General Description

* Vacancy Name

After

Create Vacancy: Enter Primary Details

Some data has already been entered for your vacancy according to specified business group, and organization.

* Indicates required field

Questionnaire

[OAUG](#)

General Description

* Vacancy Name

Create Links – How To

- Find field in Personalization Structure and select the Create Item icon

Focus Name	Personalize	Reorder	Create Item
[-] Page Layout: Create Primary Details			



Create Item

* Indicates required field

Level

Item Style

Property	*Value
* ID	oaug_link_create_vac
Destination URI	http://www.oaug.com/
Prompt	OAUG

- Select Apply (button) and Return to Application (link)

Create Notes – Before & After

Before

Create Vacancy: Enter Primary Details

Some data has already been entered for your vacancy according to specified business group, and organization.

* Indicates required field

[Questionnaire](#)

[OAUG](#)

General Description

* Vacancy Name

After

Create Vacancy: Enter Primary Details

Some data has already been entered for your vacancy according to specified business group, and organization.

* Indicates required field

[Questionnaire](#)

[OAUG](#)

Click on this link to navigate to the OAUG website.

General Description

* Vacancy Name

Create Notes – How To

- Find field in Personalization Structure and select the Create Item icon

Focus Name	Personalize	Reorder	Create Item
[-] Page Layout: Create Primary Details			

Create Item

* Indicates required field

Level

Item Style

Property	*Value
* ID	oaug_note_create_vac
Text	Click on this link to navigate to the OAUG website.

- Select Apply (button) and Return to Application (link)

Reorder Items - Before & After

Before




General Description	
* Vacancy Name	<input type="text"/>
* Start Date	<input type="text" value="16-Feb-2009"/> <small>(example: 16-Feb-2009)</small>
* Hiring Manager	<input type="text" value="Kost, Patti"/>
Organization	Vision Corporation
Status	Unapproved
End Date	<input type="text"/>
Number Of Openings	<input type="text" value="2"/>
Location	<input type="text" value="HR- New York"/>
Job Title	<input type="text"/>

After

General Description	
* Vacancy Name	<input type="text"/>
Status	Unapproved
End Date	<input type="text"/>
Organization	Vision Corporation
* Hiring Manager	<input type="text" value="Kost, Patti"/>
* Start Date	<input type="text" value="16-Feb-2009"/> <small>(example: 16-Feb-2009)</small>
Number Of Openings	<input type="text" value="2"/>

Reorder Items – How To

- Find field in Personalization Structure and select the Reorder icon



- Select Apply (button) and Return to Application (link)

Create Button – Before & After

Before

Create Vacancy: Enter Primary Details

Some data has already been entered for your vacancy according to model, specified business group, and organization.

* Indicates required field

[Questionnaire](#)

[OAUG](#)

Click on this link to navigate to the OAUG website.

General Description

* Vacancy Name

After

Create Vacancy: Enter Primary Details

Some data has already been entered for your vacancy according to model, specified business group, and organization.

* Indicates required field

[Questionnaire](#)

[OAUG](#)

Click on this link to navigate to the OAUG website.

[AST Corporation](#)

General Description

* Vacancy Name

Create Button – How To

- Find field in Personalization Structure and select the Create Item icon

Focus Name	Personalize	Reorder	Create Item
[-] Page Layout: Create Primary Details			

Create Item

* Indicates required field

Level


Item Style

Property	*Value
* ID	oaug_button_create_vac
Destination URI	javascript:void window.open("http://www.astcorporation.com/")
Prompt	AST Corporation

- Select Apply (button) and Return to Application (link)

Standard Messages


- Date Format

* Start Date 
(example: 17-Feb-2009)

- Short Tip




Contractor
Check both boxes to advertise your vacancy to all candidates

- Long Tip



Alter Standard Messages – How To


- Functional Administrator > Core Services > Messages >> Click on the Update icon

Code	Application Name	Language	Type	Text	Last Update	Duplicate	Update	Delete
IRC_REQ_DETAILS_HEADER	Human Resources	American English	30% Expansion Prompt	Some data has already been entered for your vacancy according to your security model, specified business group, and organization.	16-Mar-2004			

- Most standard messages can be altered
- Search by message text – use wildcards (%)
- May need to run Generate Messages (System Administrator)

Personalizing Descriptive Flexfields - Before & After

Before



A screenshot of a form with three fields: "Job Title" (text input), "Position" (text input), and "Employment Status" (dropdown menu). A red arrow points to the "Employment Status" field.

After



A screenshot of a form with five fields: "Job Title" (text input), "Position" (text input), "Employment Status" (dropdown menu), "Is this a New Position?" (text input with a magnifying glass icon), and "Reason for Vacancy" (text input). A red arrow points to the "Is this a New Position?" field.

Personalizing Descriptive Flexfields – How To

- Display / Hide all defined attributes by setting “Rendered” to “true” / “false” and leave the Flex Segment List field blank

Flex: (PrimaryDetails.VacancyDetailsDDC.FndFlexField)

Rendered	true	Inherit	5
----------	------	---------	---

- Display selected attributes by setting “Rendered” to “true” and in the Flex Segment List enter: context1|segment6|segment8

Segment List	<input type="checkbox"/> Hide Default	<input type="text" value="Global Data Elements Is"/> 5	<input type="checkbox"/> Hide Global Data Elements Is this a New Position? Reason for Vacancy / Responsibility
--------------	--	--	---

Delete Personalizations

- Personalizations are sometimes trial and error or may erroneously make an entire page inaccessible
- There are several methods to find & delete unwanted personalizations

Delete Personalizations - 1

- Using System Administrator (or Functional Administrator) - Note:304670.1 “How to remove an OA Framework personalization”
 - Set “Disable Self-Service Personal” profile option to “Yes” which temporarily turns off personalizations
 - Navigate back to personalized page and you should be able to delete / change the item
 - Reset profile option “Disable Self-Service Personal” to “No”

Delete Personalizations - 2

- In Application, select Personalize Page, then Manage Levels Button
- Or use Functional Administrator - Personalization tab, Application Catalog sub-tab, Find Personalization page (Document Name) and select Manage Personalizations
- Select Personalization and click Delete button

Delete Personalizations - 2 continued

- Used to delete personalizations that make a page inaccessible

The screenshot shows the Oracle Applications Administration interface. The breadcrumb path is: `/oracle/apps/per/selfservice/workschedule/webui/WorkSchedPG`. The 'Select Object:' section contains buttons for 'Extract Translations', 'Delete Personalizations', 'Activate', 'Deactivate', and 'Upload Translations'. A red arrow points to the 'Delete Personalizations' button. Below this is a table of personalization levels.

Select Level	Personalization Value	Last Updated	Activate
<input type="checkbox"/>	Location: Korea, Republic of (often referred to as South Korea)	20-March-2005	Y

Delete Personalizations - 3

- Run the following sql commands and then bounce the Apache:

```
set serverout on;
```

```
exec
```

```
jdr_utils.listcustomizations('/oracle/apps/product/subcategory/PageName');
```

```
exec
```

```
jdr_utils.deletedocument('/oracle/apps/product/subcategory/Personalization  
Level/PersonalizationID/PageName');
```

Looks Like Personalizations


- Some changes require changes to menus
 - Modify the text on a tab
 - Remove a tab
 - Remove a side menu
- System Administrator > Applications > Menu or Functional Administrator > Core Services > Menus
 - Create a copy of the seeded menu
 - Modify new menu as required
 - Link to your user defined responsibility

Other Profile Options

- FND: Personalization Region Link Enabled - Enables personalization links above each region
- Self Service Accessibility Features - Set to 'None' to add formatting


Item / Region Search

- Use Edit > Find



Personalize Page Scrolling

- Select Apply (button) and Return to Application (link)



[Return to Application](#)

- **Ctrl + End**



Activate / Deactivate Personalizations

ORACLE iRecruitment

Home Logout Preferences **Personalize Page** Diagnostics

Home Vacancies Candidates

Manage Personalization Levels
Below is a list of personalization levels that have been defined for the page and/or region.

Page: Create Primary Details

Select Object: Extract Translations Delete Personalizations **Activate** Deactivate Upload Translations

Select All | Select None

Select Personalization Level	Value	Last Updated	Activate
<input type="checkbox"/> Responsibility	-	No Personalization Defined	Y
<input type="checkbox"/> Responsibility	Recruitment Recruiter	8-August-2008	Y

A Little More Technical

- Migrate Personalizations from instance to instance (See Note 370734.1)
- Change The Oracle Product Logos In Self Service Screen (See Note 405684.1)
- Potentially add fields not already listed in the Personalization Structure list (See Note 461945.1) - Review Attributes of View Objects

Resources

- OA Framework Personalization and Extensibility Guide (Metalink Note 236618.1)
- OAF Personalizations and Extensions - Techniques with HCM product examples (OHUG Spring 2008 presentation)
- Metalink

Questions and Discussion

